

Insect Types in the ZFMK Collection, Bonn: "Homoptera"

(last update: April 2006)

Karl-Heinz Lampe, Dirk Rohwedder & Birgit Rach

running title:

LAMPE, ROHWEDDER & RACH: Insect Types in ZFMK section Hymenoptera

Authors' addresses: Zoologisches Forschungsinstitut und Museum Alexander Koenig (ZFMK), Adenauerallee 160, 53113 Bonn, Germany, k.lampe.zfmk@uni-bonn.de

Abstract. The type specimens of "Homoptera" housed in the Zoologisches Forschungsinstitut und Museum Alexander Koenig (ZFMK), Bonn, are listed. There are 104 names recorded; of these 87 (81%) are represented by name bearing (i.e., primary) types. Specific and subspecific names are listed alphabetically, followed by the original genus name, bibliographic citation, original label information (in case of primary types), date and place collected, and finally the geographical coordinates (latitude and longitude based on geo-referencing process).

Key words. Type specimens, "Homoptera"

Introduction

This catalogue is generated from the specimen based database BIODAT. Data capture was mainly done within the DIG project ('Digitization of key Insect groups at ZFMK'). DIG is one of the subprojects of the German GBIF subnode Insecta. It is financially supported by the German Ministry of Science and Education (BMBF) and will run until the end of the year 2005. By adaptation to the ABCD schema (Access to Biological Collection Data) BIODAT became both a BIOCASE- (Biological Collection Access Service for Europe) and GBIF- (Global Biodiversity Information Infrastructure) provider. Therefore full information at the specimen level, and not only of type specimens, for selected ZFMK insect collections (starting with "Homoptera" & Orthoptera) will be sustainably available on the World Wide Web. In case of type specimens we will successively provide images of the type itself and of the original labels.

In this publication the specific and subspecific taxa are grouped by orders and arranged alphabetically. They are listed by species epitheta, followed by the genus name (both in the original spelling), author and year. The citation of the original description was checked and is followed by BIODAT's catalogue number, type status, number of specimens, developmental stage and sex. If the current classification differs from the original name, the valid name is added together with it's bibliographic source. In a similar manner the designation of lecto- and neotypes are referenced. The abbreviations of all citations are based on the "World List of Scientific Periodicals" (Brown, P. and G. B. Stratton, 1963). All primary types are listed with the original label information, supplemented by date- and place collected information (normally 'named area' information, the more exact 'gathering site' information are marked). Historical or 'older' place names are updated with names in common use (in parentheses) and higher ranked geographic information such as region, country and continent is added in a hierarchy. Since geo-referencing of collecting places and sites, by using the Alexandria Digital Library gazetteer (ADL) and similar authority files, is part of databasing our collections with BIODAT, the resulting latitude and longitude information could be added easily. To avoid hypertrophic text length most of the secondary types are listed without original label information. If the collection, however, harbour only secondary types of a given taxon the original label information is given for the first type specimen. Table 1 shows the number of primary and secondary types in insect orders of ZFMK section Hymenoptera.

Insect Types in the ZFMK Collection, Bonn: "Homoptera"

Acknowledgements

For checking the english text we want to thank Dr. B.J. Sinclair (ZFMK, Bonn).

Tab. 1: Types in insect collections of ZFMK (last update: April 2006)

	Holo-types	Lecto-types	Syn-types	Neo-types	'Allo-types'	Paratypes	Paralectotypes	Paraneotypes	Status of Type unclear
"Homoptera"	80	1	16		19	376	3		

Images of the respected type specimens are presented on the web via <http://www.biodat.de>.

"Homoptera"

abbreviata, Cunedda

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 51

HOM 2000/2309 **Holotype** 1 adult male
 Kuatun (2300 m) 27°40'00" Br. 117°40'00" L. J.Klapperich 19.4.1938 (Fukien) --- 140 --- Coll. Jacobi Ankauf 1947--- Staatl. Museum für Tierkunde Dresden --- Typus --- Cunedda abbreviata Jacobi Holotypus --- Mannheims det. 1965 --- Holotypus
 19.4.1938
 Kuatun, Wuyi Shan (mts.), Fujian, China, Asia
 117°40'00" O 27°40'00" N

HOM 2000/2310 **Paratype** 1 adult male
 14.4.1938
HOM 2000/2311-2315 **Paratypes** 5 adult male
 19.4.1938
 Kuatun, Wuyi Shan (mts.), Fujian, China, Asia
 117°40'00" O 27°40'00" N

aequa, Tetrica

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 21

HOM 2000/551 **Holotype** 1 adult
 Kwangtseh-Fukien J. Klapperich 27.8.1937 --- Typus --- Coll. Jacobi Ankauf 1947 --- Staatl. Museum für Tierkunde, Dresden --- 50 --- Tetrica aequa Jacobi Holotypus Mannheims det. 1965 --- Holotypus
 27.8.1937
 Kwangtseh (= Hangchuan), Wuyi Shan (mts.), Fujian, China, Asia
 117°24'00" O 27°30'00" N

HOM 2000/552 **Paratype** 1 adult
 19.8.1937
HOM 2000/553 **Paratype** 1 adult
 30.8.1937
HOM 2000/554,3265 **Paratypes** 2 adult
 3.9.1937
HOM 2000/555 **Paratype** 1 adult
 3.10.1937
 Kwangtseh (= Hangchuan), Wuyi Shan (mts.), Fujian, China, Asia
 117°24'00" O 27°30'00" N

Insect Types in the ZFMK Collection, Bonn: "Homoptera"

afghanistica, Empoasca

Dlabola, 1957: Mitt. münchen. ent. Ges. 47: 295

HOM 2000/2357	Allotype	1	adult	female
J. Klapperich	Tangi-Gharuh, 1600 m am Kabulfluß, 21.8.52	O-Afghanistan ---	Empoasca afghanistica n.	
sp. Typus-det. Dlabola 1956.				
21.8.1952				
Tangi-Gharu (canyon), Kabol, Afghanistan, Asia				
HOM 2000/2358	Paratype	1	adult	
17.4.1953				
Bashgul-Tal (= Landay Sind (river)), Konar, Afghanistan, Asia				
HOM 2000/2359	Paratype	1	adult	
16.7.1953				
Senna, Kokcha (river), Badakhshan, Afghanistan, Asia				
71°29'00"O	36°35'00"N			

afghanus, Oliarus

Dlabola, 1957: Mitt. münchen. ent. Ges. 47: 268

HOM 2000/82	Holotype	1	adult	male
J. Klapperich	Bashgultal 1100 m Nuristan 6.5.53	Afghanistan ---	Oliarus afghanus n. sp.	Typus-det. Dlabola 1956
6.5.53				
Bashgul-Tal (= Landay Sind (river)), Konar, Afghanistan, Asia				
HOM 2000/83	Allotype	1	adult	female
12.5.53				
Bashgul-Tal (= Landay Sind (river)), Konar, Afghanistan, Asia				

ambigua, Aphrophora

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 27

HOM 2000/1334	Holotype	1	adult	
Shaowu - Fukien (500 m) J. Klapperich	7.8.1937 --- Typus --- Coll. Jacobi Ankauf 1947 --- Staatl. Museum für Tierkunde, Dresden --- 89 --- Aphrophora ambigua Jac. Holotypus - Mannheims det. 1965 --- Holotypus			
7.8.1937				
Shaowu, Wuyi Shan (mts.), Fujian, China, Asia				
117°30'00" O	27°17'59" N			
HOM 2000/1335-36,3235	Paratypes	3	adult	
4.6.1938				
HOM 2000/1337,3236	Paratype	2	adult	
5.6.1938				
HOM 2000/1338,3237-40	Paratype	5	adult	
6.6.1938				
HOM 2000/1339,3241	Paratypes	2	adult	
10.6.1938				
HOM 2000/1340,3242-43	Paratypes	3	adult	
12.6.1938				
HOM 2000/1341,3244-47	Paratypes	5	adult	
13.6.1938				
HOM 2000/1342,3248-49	Paratypes	3	adult	
14.6.1938				
HOM 2000/1343	Paratype	1	adult	
15.6.1938				
HOM 2000/1344,3250-60	Paratypes	12	adult	
16.6.1938				
HOM 2000/1345,3261-62	Paratypes	3	adult	
17.6.1938				
HOM 2000/1346	Paratype	1	adult	

Insect Types in the ZFMK Collection, Bonn: "Homoptera"

19.6.1938				
HOM 2000/1347	Paratype	1	adult	
20.6.1938				
HOM 2000/1348	Paratype	1	adult	
21.6.1938				
HOM 2000/1349	Paratype	1	adult	
23.6.1938				
HOM 2000/1350,3263	Paratypes	2	adult	
25.6.1938				
Kuatun, Wuyi Shan (mts.), Fujian, China, Asia				
117°40'00" O	27°40'00" N			

ancorarius, Idiocerus

Dlabola, 1964

Dlabola, 1964: Mitt. münchen. ent. Ges. 54: 247

HOM 2000/2572	Paratype	1	adult	female
J. Klapperich	Bashgultal 1100 m	Nuristan	17.4.53	Afghanistan --- Idiocerus ancorarius n.sp.
Paratypus det. Dlabola 1963				
17.4.1953				
Bashgul-Tal (= Landay Sind (river)), Konar, Afghanistan, Asia				

aurantiifasciata, Cicadella

Jacobi, 1944

Current Classification: ***Tettigella aurantiifasciata (Jacobi, 1944)***

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 45

China and Fennah, 1945: Ann. Mag. nat. Hist.: 707-712 [Tettigella]

HOM 2000/3093	Holotype	1	adult	male
Shaowu - Fukien (500 m)	J. Klapperich	15.7.1937	Typus --- Coll. Jacobi	Ankauf 1947 --- Staatl. Museum für Tierkunde, Dresden --- 124c --- Cicadella aurantiifasciata Jac. Holotypus Straßberger det. --- Holotypus
15.7.1937				
Shaowu, Wuyi Shan (mts.), Fujian, China, Asia				
117°30'00" O	27°17'59" N			

avulsus, Batracomorphus

Dlabola, 1964

Dlabola, 1964: Mitt. münchen. ent. Ges. 54: 248

HOM 2000/2167	Holotype	1	adult	female
J. Klapperich	Tangi-Gharuh, 1600 m	am Kabulfluß, 8.7.52	O-Afghanistan --- Batracomorphus avulsus ---	
det. Dlabola 1958	Typus			
8.7.1952				

Tangi-Gharu (canyon), Kabol, Afghanistan, Asia

HOM 2000/2168,3264	Paratypes	2	adult	female
8.7.1952				
Tangi-Gharu (canyon), Kabol, Afghanistan, Asia				

badakshanus, Oliarus

Dlabola, 1957

Dlabola, 1957: Mitt. münchen. ent. Ges. 47: 268

HOM 2000/84	Holotype	1	adult	male
J. Klapperich	Schiva, Hochsteppe	2800 m, 12.7.53	Badakschan	NO-Afghanistan --- Oliarus badakschanus n.sp.
Typus-det. Dlabola 1956				
12.7.1953				
Schiva, Badakhshan, Afghanistan, Asia				
71°13'00" O	37°43'00" N			

HOM 2000/85	Allotype	1	adult	female
--------------------	-----------------	---	-------	--------

Insect Types in the ZFMK Collection, Bonn: "Homoptera"

12.7.1953

Schiva, Badakhshan, Afghanistan, Asia

71°13'00" O 37°43'00" N

basiplagiata, Gargara (Gargara)

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 33

HOM 2000/1792	Holotype	1	adult	male
Shaowu - Fukien (500 m) J. Klapperich 2.8.1937 --- Typus --- Coll. Jacobi Ankauf 1947 --- Staatl. Museum für Tierkunde, Dresden --- 107 --- <i>Gargara basiplagiata</i> Jac. Holotypus - Mannheims det. 1965 --- Holotypus				
2.8.1937				
Shaowu, Wuyi Shan (mts.), Fujian, China, Asia				
117°30'00" O 27°17'59" N				
HOM 2000/1793,3266	Paratypes	2	adult	male
21.5.1937				
HOM 2000/1794,3267	Paratypes	2	adult	male
12.6.1937				
Shaowu, Wuyi Shan (mts.), Fujian, China, Asia				
117°30'00" O 27°17'59" N				

bazarakana, Petalocephala

Dlabola, 1957

Dlabola, 1957: Mitt. münchen. ent. Ges. 47: 301

HOM 2000/2944	Holotype	1	adult	male
J. Klapperich Bazarak, 2200 m Panchirtal, 27.6.52, O-Afghanist. --- <i>Petalocephala bazarakana</i> n.sp. Typus det. Dlabola 1956				
27.6.1952				
Bazarak, Panchir-Tal, Nangarhar, Afghanistan, Asia				
70°33'00" O 34°32'59" N				
HOM 2000/2945	Allotype	1	adult	female
27.6.1952				
Bazarak, Panchir-Tal, Nangarhar, Afghanistan, Asia				
70°33'00" O 34°32'59" N				
HOM 2000/2946,3268-71	Paratypes	5	adult	
9.5.1953				
HOM 2000/2953	Paratype	1	adult	
11.5.1953				
Bashgul-Tal (= Landay Sind (river)), Konar, Afghanistan, Asia				
HOM 2000/2947	Paratype	1	adult	
10.5.1952				
HOM 2000/2948	Paratype	1	adult	
18.5.1952				
HOM 2000/2952	Paratype	1	Larve	
21.10.1952				
Tangi-Gharu (canyon), Kabol, Afghanistan, Asia				
HOM 2000/2949	Paratype	1	adult	
9.6.1953				
Darufulun, Kabol, Afghanistan, Asia				
HOM 2000/2950	Paratype	1	adult	
6.7.1952				
Paghman, Paghman, Selseleh-ye Kuh-e (mts.), Kabol, Afghanistan, Asia				
68°56'59"O 34°34'59"N				
HOM 2000/2951	Paratype	1	adult	
17.7.1952				
Kamdesk (= Kamdish), Bashgul-Tal, Konar, Afghanistan, Asia				
71°20'00"O 35°24'00"N				

belostoma, Clipeopsilis

Jacobi, 1944

Insect Types in the ZFMK Collection, Bonn: "Homoptera"

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 20

HOM 2000/474 **Holotype** 1 adult male
Kuatun (2300 m) 27°40'00" O 27°40'00" N Br. 117,40 ö. L. Klapperich 16.6. 1938 (Fukien) --- Typus --- Coll. Jacobi Ankauf 1947 --- Staatl. Museum für Tierkunde, Dresden --- 48 --- Clipeopsilus belostoma Jac. Holotypus --- Mannheims det. 1965 --- Holotypus
16.6.1938
Kuatun, Wuyi Shan (mts.), Fujian, China, Asia
117°40'00" O 27°40'00" N

bimaculata, Tauropolia

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 16

HOM 2000/407 **Holotype** 1 adult female
Shaowu - Fukien (500 m) J. Klapperich 29.5.1937 --- Typus --- Coll. Jacobi Ankauf 1947 --- Staatl. Museum für Tierkunde, Dresden --- 42 --- Tauropolia bimaculata Jac. --- Paratypus Mannheims det. 1965 --- Holotypus
29.5.1937
Shaowu, Wuyi Shan (mts.), Fujian, China, Asia
117°30'00" O 27°17'59" N

bipartita, Aphrophora

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 28

HOM 2000/1351 **Holotype** 1 adult
Shaowu - Fukien (500 m) J. Klapperich 7.8.1937 --- Typus --- Coll. Jacobi Ankauf 1947 --- Staatl. Museum für Tierkunde, Dresden --- 92 --- Aphrophora bipartita Jac. n. sp. Mannheims det. 1965 --- Holotypus
7.8.1937
Shaowu, Wuyi Shan (mts.), Fujian, China, Asia
117°30'00" O 27°17'59" N

HOM 2000/1352 **Paratype** 1 adult
7.8.1937
Shaowu, Wuyi Shan (mts.), Fujian, China, Asia
117°30'00" O 27°17'59" N

HOM 2000/1353 **Paratype** 1 adult
17.9.1937

HOM 2000/1354 **Paratype** 1 adult
25.7.1937
Kwangtseh (= Hangchuan), Wuyi Shan (mts.), Fujian, China, Asia
117°24'00" O 27°30'00" N

blattina, Cyrtta

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 35

HOM 2000/2318 **Holotype** 1 adult
Kwangtseh-Fukien J. Klapperich O 21.7.1937 --- 111 --- Typus --- Coll. Jacobi Ankauf 1947 --- Staatl. Museum für Tierkunde Dresden --- Cyrtta blattina Jacobi Holotypus Mannheims det. 1965 --- Holotypus
21.7.1937
Kwangtseh (= Hangchuan), Wuyi Shan (mts.), Fujian, China, Asia
117°24'00" O 27°30'00" N

breviceps, Nisitra

Jacobi, 1944

Current Classification: ***Nisitrana breviceps* (Jacobi, 1944)**

Jacobi, 1944 : Mitt. münchen. ent. Ges. 34: 51

Metcalf, 1952: J. Wash. Acad. Sci. 42: 226-231 [Nisitrana]

HOM 2000/2890 **Holotype** 1 adult female

Insect Types in the ZFMK Collection, Bonn: "Homoptera"

Kwangtseh-Fukien J. Klapperich 13.8.1937 --- Typus --- Coll. Jacobi Ankauf 1947 --- Staatl. Museum für Tierkunde, Dresden ---138 --- Nisistra breviceps Jacobi Holotypus - Mannheims det. 1965 --- Holotypus 13.8.1937
 Kwangtseh (= Hangchuan), Wuyi Shan (mts.), Fujian, China, Asia
 117°24'00" O 27°30'00" N

brunneosula, Gargara (Gargara)

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 34

HOM 2000/1795	Holotype	1	adult
Shaowu - Fukien (500 m) J. Klapperich 2.8.1937 --- Typus --- Coll. Jacobi Ankauf 1947 --- Staatl. Museum für Tierkunde, Dresden ---108 --- Gargara brunneosula Jac. Holotypus - Mannheims det. 1965 --- Holotypus 2.8.1937			
Shaowu, Wuyi Shan (mts.), Fujian, China, Asia			
117°30'00" O 27°17'59" N			
HOM 2000/1796	Paratype	1	adult
29.5.1937			
HOM 2000/1797	Paratype	1	adult
7.7.1937			
HOM 2000/1798,3370	Paratypes	2	adult
1.8.1937			
Shaowu, Wuyi Shan (mts.), Fujian, China, Asia			
117°30'00" O 27°17'59" N			

brunneus, Latoliarus

Diabola, 1957

Diabola, 1957: Mitt. münchen. ent. Ges. 47: 272

HOM 2000/71	Holotype	1	adult	male
J. Klapperich Purstam, 1700 m Bashgultal, Nuristan 19.7.52, O-Afghan. --- Latoliarus n.g. brunneus n.sp.				
1956	Typus - det. Diabola			
19.7.1952				
Purstam (= Pol-e Rostam), Konar, Afghanistan, Asia				
71°18'00" O	35°33'59" N			
HOM 2000/72	Allotype	1	adult	female
19.7.1952				
HOM 2000/76,3272	Paratypes	2	adult	
19.7.1952				
Purstam (= Pol-e Rostam), Konar, Afghanistan, Asia				
71°18'00" O	35°33'59" N			
HOM 2000/73	Paratype	1	adult	
6.7.1952				
Paghman, Paghman, Selseleh-ye Kuh-e (mts.), Kabol, Afghanistan, Asia				
68°56'59" O	34°34'59" N			
HOM 2000/74,3273	Paratypes	2	adult	
16.7.1952				
HOM 2000/75	Paratype	1	adult	
17.7.1952				
Kamdesh (= Kamdish), Bashgul-Tal, Konar, Afghanistan, Asia				
71°20'00" O	35°24'00" N			

castanaica, Penthimia

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 48

HOM 2000/2923	Holotype	1	adult	female
Kwangtseh-Fukien J. Klapperich 17.9.1937 --- Typus --- Coll. Jacobi Ankauf 1947 --- Staatl. Museum für Tierkunde Dresden --- 131 --- Penthimia castanaica Jacobi - Holotypus Mannheims det. 1965 --- Holotypus 17.9.1937				

Insect Types in the ZFMK Collection, Bonn: "Homoptera"

Kwangtseh (= Hangchuan), Wuyi Shan (mts.), Fujian, China, Asia
 117°24'00" O 27°30'00" N

HOM 2000/2924 **Paratype** 1 adult female
 3.10.1937

Kwangtseh (= Hangchuan), Wuyi Shan (mts.), Fujian, China, Asia
 117°24'00" O 27°30'00" N

HOM 2000/2925 **Paratype** 1 adult female
 6.3.1938

Kuatun, Wuyi Shan (mts.), Fujian, China, Asia
 117°40'00" O 27°40'00" N

centralasiae, Platymetopius

Dlabola, 1960

Dlabola, 1960: Stuttg. Beitr. Naturk. 40: 3

HOM 2000/2966 **Paratype** 1 adult

J. Klapperich Schiva, Hochsteppe 2800 m 12.7.53 Badakschan NO-Afghanistan --- Platymetopius centralasiae n.sp. Paratypus det. Dlabola 1960

12.7.1953
 Schiva, Badakhshan, Afghanistan, Asia
 71°13'00" O 37°43'00" N

chelydinus, Nacmusius

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 19

HOM 2000/542 **Holotype** 1 adult

Kwangtseh-Fukien J. Klapperich O 15.7.1937 --- Typus --- Coll. Jacobi Ankauf 1947 --- Staatl. Museum für Tierkunde, Dresden --- 47 --- Nacmusius chelydinus Jac. Holotypus - Mannheims det. 1965 --- Holotypus
 15.7.1937

Kwangtseh (= Hangchuan), Wuyi Shan (mts.), Fujian, China, Asia
 117°24'00" O 27°30'00" N

HOM 2000/543 **Paratype** 1 adult

4.10.1937
 Kwangtseh (= Hangchuan), Wuyi Shan (mts.), Fujian, China, Asia
 117°24'00" O 27°30'00" N

cingulata, Thlasia

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 40

HOM 2000/3139 **Syntype** 1 adult

Kuatun (2300 m) 27,40 n. Br. - 117,40 ö. L. J. Klapperich - 10.4.1938 (Fukien) --- 120 --- Thlasia cingulata - Jacobi Paratypus - Mannheims det. 1965 --- Paratypoid --- Syntypes x3 - Thlasia - cingulata Jacobi - det. M.D. Webb
 10.4.1938

Kuatun, Wuyi Shan (mts.), Fujian, China, Asia
 117°40'00" O 27°40'00" N

HOM 2000/3140 **Syntype** 1 adult

Kuatun (2300 m) 27,40 n. Br. - 117,40 ö. L. J. Klapperich - 10.4.1938 (Fukien) --- Thlasia cingulata - Jacobi Paratypus - Mannheims det. 1965 --- Paratypoid --- Syntypes x3 - Thlasia - cingulata Jacobi - det. M.D. Webb
 10.4.1938

Kuatun, Wuyi Shan (mts.), Fujian, China, Asia
 117°40'00" O 27°40'00" N

HOM 2000/3141 **Syntype** 1 adult

Kuatun (2300 m) 27,40 n. Br. - 117,40 ö. L. J. Klapperich - 6.4.1938 (Fukien) --- Thlasia cingulata - Jacobi Paratypus - Mannheims det. 1965 --- Paratypoid --- Syntypes x3 - Thlasia - cingulata Jacobi - det. M.D. Webb
 6.4.1938

Kuatun, Wuyi Shan (mts.), Fujian, China, Asia

Insect Types in the ZFMK Collection, Bonn: "Homoptera"

117°40'00" O 27°40'00" N

circumcinctus, lassus

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 50

HOM 2000/2548 **Holotype** 1 adult

Kuatun (2300 m) 27,40 n. Br. 117,40 ö. L. J. Klapperich 20.5.1938 (Fukien) --- Typus --- Coll. Jacobi Ankauf 1947 --- Staatl. Museum für Tierkunde, Dresden --- 136 --- lassus circumcinctus Jac. Holotypus --- Mannheims det. 1965 --- Holotypus

20.5.1938

Kuatun, Wuyi Shan (mts.), Fujian, China, Asia

117°40'00" O 27°40'00" N

HOM 2000/2549 **Paratype** 1 adult

10.5.1938

HOM 2000/2550 **Paratype** 1 adult

25.4.1938

Kuatun, Wuyi Shan (mts.), Fujian, China, Asia

117°40'00" O 27°40'00" N

clara, Bashgultala

Dlabola, 1957

Dlabola, 1957: Mitt. münchen. ent. Ges. 47: 270

HOM 2000/2 **Holotype** 1 adult male

J. Klapperich Bashgultal 1200m Nuristan 20.4.53 Afghanistan --- Bashgultala n.g. clara n.sp. Typus det. Dlabola 1956

20.4.1953

Bashgul-Tal (= Landay Sind (river)), Konar, Afghanistan, Asia

HOM 2000/3 **Allotype** 1 adult female

20.4.1953

HOM 2000/4 **Paratype** 1 adult

8.4.1953

HOM 2000/5,3274-76 **Paratypes** 4 adult

10.4.1953

HOM 2000/6 **Paratype** 1 adult

17.4.1953

HOM 2000/7,3277-80 **Paratypes** 5 adult

20.4.1953

HOM 2000/8,3281-82 **Paratypes** 3 adult

6.5.1953

HOM 2000/9 **Paratype** 1 adult

12.5.1953

Bashgul-Tal (= Landay Sind (river)), Konar, Afghanistan, Asia

colorata, Tituria

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 39

HOM 2000/3167 **Syntype** 1 adult

Kwangtseh-Fukien - J. Klapperich O - 3.10.1937 --- 115 --- Typus --- Coll. Jacobi - Ankauf 1947 --- Staatl. Museum für - Tierkunde, Dresden --- Tituria colorata - Jac. Holotypus - Mannheims det. 1965 --- Holotypus --- Syntype - Tituria - colorata Jacobi - det. M.D. Webb ---

3.10.1937

Kwangtseh (= Hangchuan), Wuyi Shan (mts.), Fujian, China, Asia

117°24'00" O 27°30'00" N

HOM 2000/3168 **Syntype** 1 adult

Insect Types in the ZFMK Collection, Bonn: "Homoptera"

Kwangtseh-Fukien - J. Klapperich O - 3.10.1937 --- 115 --- Paratypus --- Tituria colorata - Jac. Paratypus - Mannheims det. 1965 --- Paratypoid --- Syntype - Tituria - colorata Jacobi - det. M.D. Webb ---
 3.10.1937
 Kwangtseh (= Hangchuan), Wuyi Shan (mts.), Fujian, China, Asia
 117°24'00" O 27°30'00" N

contrariuscula, Cicadella

Jacobi, 1944

Current Classification: ***Tettigella contrariuscula (Jacobi, 1944)***

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 44
 China and Fennah, 1945: Ann. Mag. nat. Hist.: 707-712 [Tettigella]

HOM 2000/3106	Holotype	1	adult
Kuatun (2300 m) 27,40 n. Br. 117,40 ö. L. J. Klapperich 10.4.1938 (Fukien) --- Typus --- Coll. Jacobi Ankauf 1947			
--- Staatl. Museum für Tierkunde, Dresden - 124h - Cicadella contrariuscula Jac. Holotypus - Mannheims det.			
10.4.1938			
Kuatun, Wuyi Shan (mts.), Fujian, China, Asia			
117°40'00" O 27°40'00" N			

HOM 2000/3107	Paratype	1	adult
18.3.1938			

HOM 2000/3108	Paratype	1	adult
31.3.1938			

HOM 2000/3109	Paratype	1	adult
6.4.1938			

HOM 2000/3110	Paratype	1	adult
25.4.1938			

Kuatun, Wuyi Shan (mts.), Fujian, China, Asia			
117°40'00" O 27°40'00" N			

costalis, Tituria

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 39

HOM 2000/3169	Holotype	1	adult	female
----------------------	-----------------	---	-------	--------

Kwangtseh-Fukien J. Klapperich O 4.10.1937 --- Typus --- Coll. Jacobi Ankauf 1947 --- Staatl. Museum für Tierkunde, Dresden --- 116 --- Tituria costalis Jac. Holotypus Mannheims det. 1965 --- Holotypus				
4.10.1937				

Kwangtseh (= Hangchuan), Wuyi Shan (mts.), Fujian, China, Asia				
117°24'00" O 27°30'00" N				

cremeri, Thessius

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 10

HOM 2000/651	Holotype	1	adult
---------------------	-----------------	---	-------

Kuatun (2300m) 27,40 n. Br. 117,40 ö.L. J. Klapperich 24.9.1938 (Fukien) --- Typus --- 27 --- Thessitus cremeri			
Jacobi Holotypus Straßberger det. --- Holotypus			
24.9.1938			

Kuatun, Wuyi Shan (mts.), Fujian, China, Asia			
117°40'00" O 27°40'00" N			

HOM 2000/652	Paratype	1	adult
---------------------	-----------------	---	-------

24.9.1938			
-----------	--	--	--

HOM 2000/653	Paratype	1	adult
---------------------	-----------------	---	-------

15.9.1938			
-----------	--	--	--

HOM 2000/654	Paratype	1	adult
---------------------	-----------------	---	-------

25.9.1938			
-----------	--	--	--

HOM 2000/655	Paratype	1	adult
---------------------	-----------------	---	-------

16.9.1938			
-----------	--	--	--

HOM 2000/656	Paratype	1	adult
---------------------	-----------------	---	-------

18.8.1938			
-----------	--	--	--

Insect Types in the ZFMK Collection, Bonn: "Homoptera"

Kuatun, Wuyi Shan (mts.), Fujian, China, Asia
117°40'00" O 27°40'00" N

crocatula, Cicadella

Jacobi, 1944

Current Classification: ***Tettigella crocatula (Jacobi, 1944)***

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 43

China and Fennah, 1945: Ann. Mag. nat. Hist.: 707-712 [Tettigella]

HOM 2000/3111 Holotype

1 adult male

Kuatun (2300 m) 27,40 n. Br. 117,40 ö. L. J. Klapperich 2.6.1938 (Fukien) --- Paratype --- Coll. Jacobi Ankauf 1947 --- Staatl. Museum für Tierkunde, Dresden --- 124e --- Cicadella crocatula Jacobi Holotypus --- Mannheims det. 1965 --- Holotypus
2.6.1938
Kuatun, Wuyi Shan (mts.), Fujian, China, Asia
117°40'00" O 27°40'00" N

curtipennis, Aconura

Dlabola, 1957

Current Classification: ***Doratulina curtipennis (Dlabola, 1957)***

Dlabola, 1957: Mitt. münchen. ent. Ges. 47: 282

Nast, 1972: Palaearctic Auchenorrhyncha (Homoptera): 354 [Doratulina]

HOM 2000/2331 Holotype

1 adult male

J. Klapperich Jalalabad 500 m Afghanistan 30.3.53 --- Aconura curtipenis n.sp. Typus - det. Dlabola
30.3.1953
Jalalabad, Nangarhar, Afghanistan, Asia
70°26'59" O 34°25'00" N

cuspidata, Anaceratagallia

Dlabola, 1957

Current Classification: ***Agallia cuspidata (Dlabola, 1957)***

Dlabola, 1957: Mitt. münchen. ent. Ges. 47: 298

Nast, 1972: Palaearctic Auchenorrhyncha (Homoptera): 205 [Agallia]

HOM 2000/2041 Allotype

1 adult female

J. Klapperich Jalalabad 500 m Afghanistan 30.3.53 --- Anaceratagallia cuspidata n.sp. Typus-det. --- Dlabola 1956
30.3.1953
Jalalabad, Nangarhar, Afghanistan, Asia
70°26'59" O 34°25'00" N

damaspina, Ulopa

Dlabola, 1957

Dlabola, 1957: Mitt. münchen. ent. Ges. 47: 302

HOM 2000/3176 Holotype

1 adult male

J. Klapperich Kamdesch 2200 m Nuristan 28.4.53 Afghanistan --- Ulopa damaspina n.sp. Typus-det. ---
Dlabola 1956
28.4.1953
Kamdesch (=Kamdish), Landay Sind (river), Konar, Afghanistan, Asia
71°20'00" O 35°24'00" N

HOM 2000/3177 Allotype

1 adult female

3.5.1953
Bashgul-Tal (= Landay Sind (river)), Konar, Afghanistan, Asia

HOM 2000/3178 Paratype

1 adult

28.4.1953
Kamdesch (=Kamdish), Landay Sind (river), Konar, Afghanistan, Asia
71°20'00" O 35°24'00" N

decolorata, Adolenda

Dlabola, 1957

Insect Types in the ZFMK Collection, Bonn: "Homoptera"

Dlabola, 1957: Mitt. münchen. ent. Ges. 47: 270

HOM 2000/1 **Holotype** 1 adult male
J. Klapperich Tangi-Gharu 1600m am Kabulfluß, 21.8.52 O-Afghanistan --- Adolenta decolorata n.sp. ---
Typus - det. Dlabola 1956
21.8.1952
Tangi-Gharu (canyon), Kabol, Afghanistan, Asia

defecta, Erythroneura

Dlabola, 1957

Dlabola, 1957: Mitt. münchen. ent. Ges. 47: 294

HOM 2000/2385 **Holotype** 1 adult male
Sarekanda 3500 m, 26.7.53 Klapperich --- Erythroneura defecta n.sp. Typus - det. Dlabola 1956
26.7.1953
Sarekanda, Sarekanda (mts.), Badakhshan, Afghanistan, Asia

depravata, Ledra

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 37

HOM 2000/2729 **Holotype** 1 adult male
Kuatun (2300 m) 27,40 n. Br. 117,40 ö. L. J. Klapperich 31.5.1938 (Fukien) --- Typus --- Coll. Jacobi Ankauf 1947 --- Staatl. Museum für Tierkunde, Dresden --- 114 --- Ledra depravata Jacobi Holotypus --- Mannheims det. 1965 --- Holotypus
31.5.1938
Kuatun, Wuyi Shan (mts.), Fujian, China, Asia
117°40'00" O 27°40'00" N

HOM 2000/2730 **Paratype** 1 adult male
3.6.1938
Kuatun, Wuyi Shan (mts.), Fujian, China, Asia
117°40'00" O 27°40'00" N

diffusipennis, Clovia

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 25

HOM 2000/1467 **Holotype** 1 adult female
Shaowu - Fukien (500 m) J. Klapperich 7.8.1937 --- Typus --- Coll. Jacobi Ankauf 1947 --- Staatl. Museum für Tierkunde, Dresden --- 80 --- Clovia diffusipennis Jacobi Holotypus - Mannheims det. 1965 --- Holotypus
7.8.1937
Shaowu, Wuyi Shan (mts.), Fujian, China, Asia
117°30'00" O 27°17'59" N

dimidiata, Rhotala

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 18

HOM 2000/248 **Holotype** 1 adult male
Kuatun (2300m) 27,40 n. Br. 117,40 öL J. Klapperich 3.5.1938 (Fukien) --- Typus --- Coll. Jacobi Ankauf 1947 --- Staatl. Museum für Tierkunde Dresden --- 44a --- Rhotala dimidiata Jac. Holotypus Mannheims det. 1965
3.5.1938
Kuatun, Wuyi Shan (mts.), Fujian, China, Asia
117°40'00" O 27°40'00" N

elasmoscelis, Bisma

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 17

HOM 2000/615 **Holotype** 1 adult
Kuatun (2300 m) 27,40 n. Br. 117,40 ö. L. J. Klapperich 25.4.1938 (Fukien) --- Typus --- Coll. Jacobi Ankauf 1947 --- Staatl. Museum für Tierkunde, Dresden --- 44 --- Bisma elasmoscelis Jacobi Holotypus Mannheims

Insect Types in the ZFMK Collection, Bonn: "Homoptera"

det. 1965 ---Holotypus
25.4.1938
Kuatun, Wuyi Shan (mts.), Fujian, China, Asia
117°40'00" O 27°40'00" N

HOM 2000/616 **Paratype** 1 adult
15.7.1937
Kwangtseh (= Hangchuan), Wuyi Shan (mts.), Fujian, China, Asia
117°24'00" O 27°30'00" N

HOM 2000/617 **Paratype** 1 adult
19.6.1938
Kuatun, Wuyi Shan (mts.), Fujian, China, Asia
117°40'00" O 27°40'00" N

ellipticus, Hecalus **Jacobi, 1944**
Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 53

HOM 2000/2531 **Holotype** 1 adult female
Shaowu - Fukien (500 m) J. Klapperich 8.8.1937 --- Typus --- Coll. Jacobi Ankauf 1947 --- Staatl. Museum für Tierkunde, Dresden --- 145 --- Hecalus ellipticus Jacobi Holotypus - Mannheims det. 1965 --- Holotypus --- Bonn, Germ.
8.8.1937
Shaowu, Wuyi Shan (mts.), Fujian, China, Asia
117°30'00" O 27°17'59" N

exposita, Chudania **Jacobi, 1944**
Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 53

HOM 2000/2263 **Holotype** 1 adult male
Typus --- Kwangtseh-Fukien J. Klapperich 17.7.1937--- Coll. Jacobi Ankauf 1947 --- Staatl. Museum für Tierkunde, Dresden --- 143 --- Chudania exposita Jacobi Holotypus Mannheims det. 1965 --- Holotypus --- Zeichnung 1097 a +2285/74.9. Fr. Heller 1987
17.7.1937
Kwangtseh (= Hangchuan), Wuyi Shan (mts.), Fujian, China, Asia
117°24'00" O 27°30'00" N

HOM 2000/2264 **Paratype** 1 adult female
14.5.1937
Shaowu, Wuyi Shan (mts.), Fujian, China, Asia
117°30'00" O 27°17'59" N

funebris, Thlasia **Jacobi, 1944**
Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 40

HOM 2000/3144 **Syntype** 1 adult male
Kuatun (2300 m) 27,40 n. Br. - 117,40 ö. L. J. Klapperich - 11.5.1938 (Fukien) --- Thlasia - funebris Jac. - Mannheims det.1965 --- Syntypes x4 - Thlasia male - funebris Jacobi - det. M.D. Webb ---
11.5.1938
Kuatun, Wuyi Shan (mts.), Fujian, China, Asia
117°40'00" O 27°40'00" N

HOM 2000/3146 **Syntype** 1 adult male
Kuatun (2300 m) 27,40 n. Br. - 117,40 ö. L. J. Klapperich - 20.5.1938 (Fukien) --- Thlasia - funebris Jac. - Mannheims det.1965 --- Syntypes x4 - Thlasia male - funebris Jacobi - det. M.D. Webb ---
20.5.1938
Kuatun, Wuyi Shan (mts.), Fujian, China, Asia
117°40'00" O 27°40'00" N

Insect Types in the ZFMK Collection, Bonn: "Homoptera"

HOM 2000/3147 Syntype 1 adult male
 Kuatun (2300 m) 27,40 n. Br. - 117,40 ö. L. J. Klapperich - 24.5.1938 (Fukien) --- Thlasia - funebris Jac. - Mannheims det. 1965 --- Syntypes x4 - Thlasia male - funebris Jacobi - det. M.D. Webb ---
 24.5.1938
 Kuatun, Wuyi Shan (mts.), Fujian, China, Asia
 117°40'00" O 27°40'00" N

HOM 2000/3148 Syntype 1 adult male
 Kuatun (2300 m) 27,40 n. Br. - 117,40 ö. L. J. Klapperich - 24.5.1938 (Fukien) --- Thlasia - funebris Jac. - Mannheims det. 1965 --- Syntypes x4 - Thlasia male - funebris Jacobi - det. M.D. Webb ---
 24.5.1938
 Kuatun, Wuyi Shan (mts.), Fujian, China, Asia
 117°40'00" O 27°40'00" N

gracilis, Cunedda

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 52

HOM 2000/2317 Holotype 1 adult female
 Kwangtseh - Fukien J.Klapperich 27.8.1937 --- 141 --- Coll. Jacobi Ankauf 1947 --- Staatl. Museum für Tierkunde Dresden --- Typus --- Cunedda gracilis Jacobi Holotypus - Mannheims det. 1965 --- Holotypus
 27.8.1937
 Kwangtseh (= Hangchuan), Wuyi Shan (mts.), Fujian, China, Asia
 117°24'00" O 27°30'00" N

grandiosa, Petalocephala

Dlabola, 1957

Dlabola, 1957: Mitt. münchen. ent. Ges. 47: 300

HOM 2000/2954 Allotype 1 adult female
 J. Klapperich Tangi-Gharuh, 1600 m am Kabulfluß, 8.7.52 O-Afghanistan --- Petalocephala grandiosa n.sp. ---
 Typus-det. Dlabola 1956
 8.7.1952
 Tangi-Gharu (canyon), Kabol, Afghanistan, Asia

HOM 2000/2955 Paratype 1 adult
 8.7.1952
 Tangi-Gharu (canyon), Kabol, Afghanistan, Asia

imitans, Batracomorphus

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 47

HOM 2000/2169 Holotype 1 adult female
 Kuatun (2300 m) 27,40 n.Br. 117,40 ö.L. J. Klapperich 18.4.1938 (Fukien) --- Typus --- Coll. Jacobi Ankauf 1947 --- Staatl. Museum für Tierkunde, Dresden --- 129 --- Batracomorphus imitans Jac. Holotypus ---
 Mannheims det. 1965 --- Holotypus
 18.4.1938
 Kuatun, Wuyi Shan (mts.), Fujian, China, Asia
 117°40'00" O 27°40'00" N

imitatrix, Ledra

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 38

HOM 2000/2731 Syntype 1 adult male
 Kwangtseh-Fukien J. Klapperich 24.9.1937 --- Typus --- Coll. Jacobi Ankauf 1947 --- Staatl. Museum für Tierkunde, Dresden --- 114a --- Ledra imitatrix Jac. Holotypus - Mannheims det. 1965 --- Holotypus
 24.9.1937
 Kwangtseh (= Hangchuan), Wuyi Shan (mts.), Fujian, China, Asia
 117°24'00" O 27°30'00" N

HOM 2000/2732 Syntype 1 adult male

Insect Types in the ZFMK Collection, Bonn: "Homoptera"

Kwangtseh-Fukien - J. Klapperich - 27.8.1937 --- Typus --- Coll. Jacobi - Ankauf 1947 --- Staatl. Museum für Tierkunde, Dresden --- Ledra imitatrix - Jac. Paratypus - Mannheims det. 1965 --- Paratypoid --- Syntype -
 Ledra - imitatrix Jacobi - det. M.D. Webb
 27.8.1937
 Kwangtseh (= Hangchuan), Wuyi Shan (mts.), Fujian, China, Asia
 117°24'00" O 27°30'00" N

impressa, Aphrophora

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 29

HOM 2000/1372	Holotype	1	adult
Kuatun (2300 m) 27,40 n. Br. 117,40 ö. L. J. Klapperich 2.3.1938 (Fukien) --- Typus --- Coll. Jacobi Ankauf 1947 --- Staatl. Museum für Tierkunde, Dresden --- 93 --- Aphrophora impressa Jacobi Holotypus Mannheims det. 1965 --- Holotypus			
2.3.1938			
Kuatun, Wuyi Shan (mts.), Fujian, China, Asia 117°40'00" O 27°40'00" N			
HOM 2000/1373	Paratype	1	adult
24.2.1938			
HOM 2000/1374	Paratype	1	adult
15.3.1938			
HOM 2000/1375	Paratype	1	adult
2.3.1938			
HOM 2000/1376	Paratype	1	adult
8.4.1938			
HOM 2000/1377	Paratype	1	adult
14.6.1938			
HOM 2000/1378,3283	Paratypes	2	adult
16.6.1938			
HOM 2000/1379	Paratype	1	adult
17.6.1938			
HOM 2000/1380	Paratype	1	adult
25.6.1938			
Kuatun, Wuyi Shan (mts.), Fujian, China, Asia 117°40'00" O 27°40'00" N			

indicus var. pallifrons, Caristianus

Dlabola, 1957

Dlabola, 1957: Mitt. münchen. ent. Ges. 47: 274

HOM 2000/243	Holotype	1	adult	male
J. Klapperich Tangi-Gharuh, 1600 m, am Kabulfluß, 21.8.52 O-Afghanistan --- Caristianus indicus var. pallifrons n. var. Typus-det. Dlabola 1956				
21.8.1952				
Tangi-Gharu (canyon), Kabol, Afghanistan, Asia				
HOM 2000/244	Allotype	1	adult	female
6.5.1953				
Bashgul-Tal (= Landay Sind (river)), Konar, Afghanistan, Asia				

insetosus, Oliarus

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 13

HOM 2000/90	Lectotype	1	adult
Shaowu - Fukien (500m) J. Klapperich 5.6.1937 --- Typus --- Coll. Jacobi Ankauf 1947 --- Staatl. Museum für Tierkunde, Dresden --- 35 --- Oliarus insetosus Jacobi Paratypus Mannheims det. 1965 --- Paratypoid --- Lectotype Oliarus insetosus Jacobi designe par Van Stalh 1986			
5.6.1937			
Shaowu, Wuyi Shan (mts.), Fujian, China, Asia			

Insect Types in the ZFMK Collection, Bonn: "Homoptera"

117°30'00" O 27°17'59" N

HOM 2000/89 **Paralectotype** 1 adult

1.6.1937

Shaowu, Wuyi Shan (mts.), Fujian, China, Asia

117°30'00" O 27°17'59" N

jordanicus, Deltoccephalus

Dlabola, 1965

Current Classification: Synonym of *Recilia jordanica* (Dlabola, 1965)

Dlabola, 1965: Acta ent. Mus. Natn. Pragae 36: 442

Nast, 1972: Palaearctic Auchenorrhyncha (Homoptera): 384 [syn. of *Recilia jordanica*]

HOM 2000/3031 **Paratype** 1 adult female

W. Jordan. J. Klapperich --- Wadi Farra Jordantal --- 200 m u.M. 22.11.1957 --- *Deltoccephalus (Recilia) jordanicus* n.sp. Paratypus det. Dlabola 1962

22.11.1957

Wadi Farra, Jordan-Tal, Irbid, Jordan, Asia

35°18'00" O 31°50'00" N

jordansi, Cicadella

Jacobi, 1944

Current Classification: *Tettigella jordansi* (Jacobi, 1944)

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 43

China and Fennah, 1945: Ann. Mag. nat. Hist.: 707-712 [Tettigella]

HOM 2000/3112 **Holotype** 1 adult

Kuatun (2300 m) 27,40 n. Br. 117,40 ö. L. J. Klapperich 8.4.1938 (Fukien) --- Typus --- Coll. Jacobi Ankauf 1947 --- Staatl. Museum für Tierkunde, Dresden --- 124f --- *Cicadella jordansi* Jacobi Holotypus Mannheims det. 1965 --- Holotypus

8.4.1938

Kuatun, Wuyi Shan (mts.), Fujian, China, Asia

117°40'00" O 27°40'00" N

HOM 2000/3113 **Paratype** 1 adult

7.5.1938

HOM 2000/3114 **Paratype** 1 adult

14.6.1938

Kuatun, Wuyi Shan (mts.), Fujian, China, Asia

117°40'00" O 27°40'00" N

kabulensis, Platymetopius

Dlabola, 1957

Dlabola, 1957: Mitt. münchen. ent. Ges. 47: 289

HOM 2000/2970 **Holotype** 1 adult male

J. Klapperich Bashgultal 1150 m Nuristan 12.5.53 Afghanistan --- *Platymetopius kabuli* n.sp. --- Typus -- det. Dlabola 1956

12.5.1953

Bashgul-Tal (= Landay Sind (river)), Konar, Afghanistan, Asia

HOM 2000/2971 **Allotype** 1 adult female

19.8.1952

HOM 2000/2974 **Paratype** 1 adult

21.6.1953

Kabul (= Kabul), Kabul, Afghanistan, Asia

69°11'00" O 34°30'59" N

HOM 2000/2972 **Paratype** 1 adult

30.4.1953

HOM 2000/2973 **Paratype** 1 adult

Insect Types in the ZFMK Collection, Bonn: "Homoptera"

6.5.1953

Bashgul-Tal (= Landay Sind (river)), Konar, Afghanistan, Asia

klapperichi, Mocydiopsis

Dlabola, 1957

Current Classification: ***Diabolacarus klapperichi* (Dlabola, 1957)**

Dlabola, 1957: Mitt. münchen. ent. Ges. 47: 284

Nast, 1972: Palaearctic Auchenorrhyncha (Homoptera): 384 [Diabolacarus]

HOM 2000/2323	Holotype	1	adult	male
J. Klapperich Achmede Dewane 2700 m, Bashgultal, Nuristan 25.7.52, O-Afghanistan --- Mocydiopsis klapperichi n.sp. --- Typus-det. Dlabola 1956				
25.7.1952				
Achmede Dewane (= Akhmed-e Dew), Konar, Afghanistan, Asia				
71°19'00" O 35°55'00" N				
HOM 2000/2324	Allotype	1	adult	female
6.7.1952				
HOM 2000/2325	Paratype	1	adult	
30.5.1952				
HOM 2000/2326	Paratype	1	adult	
14.6.1953				
Paghman, Paghman, Selseleh-ye Kuh-e (mts.), Kabol, Afghanistan, Asia				
68°56'59" O 34°34'59" N				
HOM 2000/2327	Paratype	1	adult	
21.7.1952				
Peschawurdo, Nurestan, Konar, Afghanistan, Asia				
71°36'00" O 36°08'00" N				
HOM 2000/2328	Paratype	1	adult	
29.9.1952				
Wolang, Hendukosh, Kuh-e (mts.), Parvan, Afghanistan, Asia				
69°05'59" O 35°15'59" N				
HOM 2000/2329	Paratype	1	adult	
1.10.1952				
Do-Schak, Hendukosh, Kuh-e (mts.), Parvan, Afghanistan, Asia				
69°08'00" O 35°24'00" N				
HOM 2000/2330	Paratype	1	adult	
10.10.1952				
Batausar, Hendukosh, Kuh-e (mts.), Parvan, Afghanistan, Asia				
69°08'00" O 35°24'00" N				

klapperichi, Semia

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 8

HOM 2000/863	Holotype	1	adult
Kuatun (2300 m) 27,40 n. Br. 117,40 ö. L. J. Klapperich 19.6.1938 (Fukien) ---Typus --- 11 --- Semia klapperichi Holotypus Jacobi det. Ch. Straßberger --- Holotypus			
19.6.1938			
Kuatun, Wuyi Shan (mts.), Fujian, China, Asia			
117°40'00" O 27°40'00" N			
HOM 2000/864	Paratype	1	adult
17.6.1938			
HOM 2000/865	Paratype	1	adult
26.6.1938			
HOM 2000/866	Paratype	1	adult
10.7.1938			
Kuatun, Wuyi Shan (mts.), Fujian, China, Asia			
117°40'00" O 27°40'00" N			

klapperichi, Thamnotettix

Dlabola, 1965

Insect Types in the ZFMK Collection, Bonn: "Homoptera"

Dlabola, 1965: Acta ent. Mus. Natn. Pragae 36: 435

HOM 2000/3161	Allotype	1	adult	female
Syria, 1959	J. Klapperich --- 12.V. Westl. Damaskus --- Thamnotettix klapperichi n.sp. Typus det. Dlabola			
12.5.1959				
Damaskus (= Dimashq), Dimashq, Syria, Asia				
36°17'59" O	33°30'00" N			
HOM 2000/3162	Paratype	1	adult	
12.5.1959				
Damaskus (= Dimashq), Dimashq, Syria, Asia				
36°17'59" O	33°30'00" N			

lacteisparsus, Peuceptyelus

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 26

HOM 2000/1562	Holotype	1	adult	
Kwangtseh-Fukien	J. Klapperich O 24.7.1937 --- Typus --- Coll. Jacobi Ankauf 1947 --- Staatl. Museum für			
Tierkunde, Dresden --- 82 --- Peuceptyelus lacteisparsus Jac. Holotypus Mannheims det. 1965 --- Holotypus				
24.7.1937				
Kwangtseh (= Hangchuan), Wuyi Shan (mts.), Fujian, China, Asia				
117°24'00" O	27°30'00" N			

latespinosa, Calligypona

Dlabola, 1957

Current Classification: ***Unkanodes latespinosa* (Dlabola, 1957)**

Dlabola, 1957: Mitt. münchen. ent. Ges. 47: 275

Nast, 1972: Palaearctic Auchenorrhyncha (Homoptera): 50 [Unkanodes]

HOM 2000/218	Holotype	1	adult	male
J. Klapperich	Paghman Gebirge 2300 m, 25.6.52 O-Afghanistan --- Calligypona			
latespinosa n.sp	--- Typus-det. Dlabola 1956			
25.6.1952				
Paghman, Paghman, Selseleh-ye Kuh-e (mts.), Kabol, Afghanistan, Asia				
68°56'59" O	34°34'59" N			

HOM 2000/219	Allotype	1	adult	female
27.7.1952				
Achmede Dewane (= Akhmed-e Dew), Konar, Afghanistan, Asia				

71°19'00" O 35°55'00" N

HOM 2000/220,3284-85	Paratypes	3	adult	female
6.7.1953				
Tchakaran (= Tschakaran), Wardusch-Tal, Badakhshan, Afghanistan, Asia				

70°52'00" O 36°58'00" N

HOM 2000/221	Paratype	1	adult	female
12.6.1952				
Sarobi (= Sarowbi), Kabol, Afghanistan, Asia				

69°43'59" O 34°35'59" N

HOM 2000/222	Paratype	1	adult	female
6.7.1952				
Paghman, Paghman, Selseleh-ye Kuh-e (mts.), Kabol, Afghanistan, Asia				

68°56'59" O 34°34'59" N

HOM 2000/223	Paratype	1	adult	female
9.6.1953				

HOM 2000/224	Paratype	1	adult	female
17.6.1953				

Darufulun, Kabol, Afghanistan, Asia

limbicosta, Athysanus

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 53

Insect Types in the ZFMK Collection, Bonn: "Homoptera"

HOM 2000/2141	Holotype	1	adult
Shaowu - Fukien (500 m) J. Klapperich 18.7.1937 --- Typus --- Coll. Jacobi Ankauf 1947 --- Staatl. Museum für Tierkunde, Dresden --- 146 --- Athysanus limbicosta Jac. Holotypus Mannheims det. 1965 --- Holotypus			
18.7.1937			
Shaowu, Wuyi Shan (mts.), Fujian, China, Asia			
117°30'00" O	27°17'59" N		
HOM 2000/2142	Paratype	1	adult
7.8.1937			
HOM 2000/2143	Paratype	1	adult
13.11.1937			
Shaowu, Wuyi Shan (mts.), Fujian, China, Asia			
117°30'00" O	27°17'59" N		

longipennis, Aconura

Diabola, 1957

Current Classification: ***Doratulina longipennis* (Diabola, 1957)**

Diabola, 1957: Mitt. münchen. ent. Ges. 47: 281

Nast, 1972: Palaearctic Auchenorrhyncha (Homoptera): 355 [Doratulina]

HOM 2000/2333	Holotype	1	adult	male
J. Klapperich Bashgultal 1200 m Nuristan 20.4.53 Afghanistan --- Aconura longipenis n.sp. Typus - det.				
Diabola 1956				
20.4.1953				
Bashgul-Tal (= Landay Sind (river)), Konar, Afghanistan, Asia				
HOM 2000/2334	Allotype	1	adult	female
20.4.1953				
HOM 2000/2335,3286-93	Paratypes	9	adult	
20.4.1953				
HOM 2000/2336,3294	Paratypes	2	adult	
3.5.1953				
HOM 2000/2337	Paratype	1	adult	
9.5.1953				
Bashgul-Tal (= Landay Sind (river)), Konar, Afghanistan, Asia				

melleus, Scaphitoceps

Diabola, 1957

Diabola, 1957: Mitt. münchen. ent. Ges. 47: 288

HOM 2000/3046	Holotype	1	adult	male
J. Klapperich Bashgultal 1100 m Nuristan 6.5.53 Afghanistan --- Scaphitoceps n.g. melleus n.sp. 1956 ---				
Typus-det. Diabola --- see: J. nat. Hist. 1993 27, 423-427				
6.5.1953				
Bashgul-Tal (= Landay Sind (river)), Konar, Afghanistan, Asia				

minuta amanca, Agallia

Diabola, 1965

Current Classification: Synonym of ***Agallia minuta* Melichar, 1896**

Diabola, 1965: Acta ent. Mus. Natn. Pragae 36: 449

Nast, 1972: Palaearctic Auchenorrhyncha (Homoptera): 206 [syn. of Agallia minuta]

HOM 2000/2060	Paratype	1	adult	female
O Jordan. J. Klapperich --- Wadi Sir, b. Am. 600 m, 8.6.56 --- Agallia minuta amanca n.sp. Paratypus ---				
det. Diabola 1962				
8.6.1956				
Wadi es Sir, 'Amman, Jordan, Asia				
35°48'59" O	31°57'00" N			

multifasciatus, lassus

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 49

Insect Types in the ZFMK Collection, Bonn: "Homoptera"

HOM 2000/2561 **Holotype** 1 adult
Shaowu - Fukien (500 m) J. Klapperich 19.8.1937 --- Typus --- Coll. Jacobi Ankauf 1947 --- Staatl. Museum für
Tierkunde, Dresden --- 133 --- *Iassus multifasciatus* Jac. Holotypus Mannheims det. 1965 --- Holotypus
19.8.1937
Shaowu, Wuyi Shan (mts.), Fujian, China, Asia
117°30'00" O 27°17'59" N

HOM 2000/2562 Paratype 1 adult
18.7.1937
Shaowu, Wuyi Shan (mts.), Fujian, China, Asia
117°30'00" O 27°17'59" N

multiguttata, Macropsis

Dlabola, 1957

Dlabola, 1957: Mitt. münchen. ent. Ges. 47: 299

HOM 2000/2767 **Holotype** 1 adult male
J. Klapperich Bashgultal 1200 m Nuristan 20.4.53 Afghanistan --- *Macropsis multiguttatus* n.sp. --- Typus –
det. Dlabola 1956
20.4.1953
Bashgul-Tal (= Landay Sind (river)), Konar, Afghanistan, Asia

HOM 2000/2768,3295 **Paratypes** 2 adult male
3.4.1953
Asmar, Konar, Afghanistan, Asia
71°20'59"O 35°00'59"N

mutilata, Agallia

Dlabola, 1957

Dlabola, 1957: Mitt. münchen. ent. Ges. 47: 297

HOM 2000/2061 **Allotype** 1 adult female
J. Klapperich Bashgultal 1200 m Nuristan 8.4.53 Afghanistan --- *Agallia mutilata* n.sp. – Typus - det.
Dlabola 1956
8.4.1953
Bashgul-Tal (= Landay Sind (river)), Konar, Afghanistan, Asia

HOM 2000/2062 ,3296	Paratypes	2	adult	female
10.4.1953				
HOM 2000/2063	Paratype	1	adult	female
17.5.1953				

naevia. *Aphrophora*

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 29

HOM 2000/1417 **Holotype** 1 adult
Kuatun (2300 m) 27,40 n. Br. 117,40 ö.L. J. Klapperich 30.3.1938 (Fukien) --- Typus --- Coll. Jacobi Ankauft 1947 --- Staatl. Museum für Tierkunde, Dresden --- 94 --- *Aphrophora naevia* Jac. Holotypus --- Mannheims det. 1965 --- Holotypus
30.3.1938
Kuatun, Wuyi Shan (mts.), Fujian, China, Asia
117°40'00" O 27°40'00" N

HOM 2000/1418	Paratype	1	adult
28.3.1938			
HOM 2000/1419	Paratype	1	adult
1.4.1938			
HOM 2000/1420	Paratype	1	adult

Insect Types in the ZFMK Collection, Bonn: "Homoptera"

12.4.1938			
HOM 2000/1421	Paratype	1	adult
14.4.1938			
HOM 2000/1422	Paratype	1	adult
15.4.1938			
HOM 2000/1423	Paratype	1	adult
5.5.1938			
Kuatun, Wuyi Shan (mts.), Fujian, China, Asia			
117°40'00" O	27°40'00" N		

naevia, Moonia

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 41			
HOM 2000/2825	Holotype	1	adult female
Kuatun (2300 m) 27,40 n. Br.	117,40 ö. L. J. Klapperich	20.4.1938 (Fukien)	Typus --- Coll. Jacobi Ankauf
1947 --- Staatl. Museum für Tierkunde, Dresden	---	121 --- Moonia naevia	Jacobi Holotypus --- Mannheims det.
1965 --- Holotypus			
20.4.1938			
Kuatun, Wuyi Shan (mts.), Fujian, China, Asia			
117°40'00" O	27°40'00" N		

nigerrima, Penthimia

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 48			
HOM 2000/2926	Syntype	1	adult
Kuatun (2300 m) 27,40 n. Br.	- 117,40 ö. L. J. Klapperich	- 15.4.1938 (Fukien)	- 130 --- Typus --- Coll. Jacobi - Ankauf
1947 --- Staatl. Museum für - Tierkunde, Dresden	---	---	Mannheims det. 1965 ---
1965 --- Holotypus	Penthimia	- species 'C'	- det. M.D. Webb --- Syntype - Penthimia - nigerrima Jacobi - det. M.D. Webb
15.4.1938			
Kuatun, Wuyi Shan (mts.), Fujian, China, Asia			
117°40'00" O	27°40'00" N		

HOM 2000/2927	Syntype	1	adult
Shaowu - Fukien - (500 m)	J. Klapperich	- 25.5.1937	- Penthimia nigerrima - Jacobi Paratypus - Mannheims det. 1965
---	---	Paratypoid	- Penthimia - species 'D'
Webb	---	---	- det. M.D. Webb --- Syntypes x4 - Penthimia - nigerrima Jacobi - det. M.D. Webb
25.5.1937			
Shaowu, Wuyi Shan (mts.), Fujian, China, Asia			
117°30'00" O	27°17'59" N		

HOM 2000/2928	Syntype	1	adult
Shaowu - Fukien - (500 m)	J. Klapperich	- 27.5.1937	- Penthimia nigerrima - Jacobi Paratypus - Mannheims det. 1965
---	---	Paratypoid	- Penthimia - species 'A'
Webb	---	---	- det. M.D. Webb --- Syntypes x4 - Penthimia - nigerrima Jacobi - det. M.D. Webb
27.5.1937			
Shaowu, Wuyi Shan (mts.), Fujian, China, Asia			
117°30'00" O	27°17'59" N		

HOM 2000/2929	Syntype	1	adult
Shaowu - Fukien - (500 m)	J. Klapperich	- 18.7.1937	- 130 --- var. --- Penthimia nigerrima - Jacobi Paratypus - Mannheims det. 1965
---	---	Paratypoid	- Penthimia - species 'E'
Webb	---	---	- det. M.D. Webb --- Syntypes x4 - Penthimia - nigerrima Jacobi - det. M.D. Webb
18.7.1937			
Shaowu, Wuyi Shan (mts.), Fujian, China, Asia			
117°30'00" O	27°17'59" N		

HOM 2000/2930	Syntype	1	adult
----------------------	----------------	---	-------

Insect Types in the ZFMK Collection, Bonn: "Homoptera"

Kwangtseh - Fukien - J.Klapperich - 17.9.1937 --- 130 --- Typus --- Coll. Jacobi - Ankauf 1947 --- Penthimia nigerrima - Jacobi Paratypus - Mannheims det. 1965 --- Paratypoid --- Penthimia - species 'B' - det. M.D. Webb --- Syntypes x4 - Penthimia - nigerrima Jacobi - det. M.D. Webb ---

17.9.1937

Kwangtseh (= Hangchuan), Wuyi Shan (mts.), Fujian, China, Asia
117°24'00" O 27°30'00" N

nigrifacies, Sarima

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 21

HOM 2000/545

Holotype

1 adult

Kwangtseh - Fukien J. Klapperich O 3.9.1937 --- Typus --- Coll. Jacobi Ankauf 1947 --- Staatl. Museum für Tierkunde, Dresden --- 49 --- Sarima nigrifacies Jacobi Holotypus Mannheims det. 1965 --- Holotypus 3.9.1937

Kwangtseh (= Hangchuan), Wuyi Shan (mts.), Fujian, China, Asia
117°24'00" O 27°30'00" N

HOM 2000/546

Paratype

1 adult

30.8.1937

HOM 2000/547

Paratype

1 adult

17.9.1937

HOM 2000/548

Paratype

1 adult

24.9.1937

HOM 2000/549

Paratype

1 adult

4.10.1937

Kwangtseh (= Hangchuan), Wuyi Shan (mts.), Fujian, China, Asia
117°24'00" O 27°30'00" N

HOM 2000/550

Paratype

1 adult

19.5.1938

Kuautun, Wuyi Shan (mts.), Fujian, China, Asia
117°40'00" O 27°40'00" N

nigrina, Aphropsis

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 26

HOM 2000/1449

Holotype

1 adult female

Kuautun (2300 m) 27,40 n. Br. 117,40 ö. L. J. Klapperich 10.6.1938 (Fukien) --- Typus --- Coll. Jacobi Ankauf 1947 --- Staatl. Museum für Tierkunde, Dresden --- 85a --- Aphropsis nigrina Jacobi Holotypus Mannheims det. 1965 --- Holotypus

10.6.1938

Kuautun, Wuyi Shan (mts.), Fujian, China, Asia
117°40'00" O 27°40'00" N

HOM 2000/1450

Paratype

1 adult female

2.6.1938

Kuautun, Wuyi Shan (mts.), Fujian, China, Asia
117°40'00" O 27°40'00" N

nigrominiatula, Cicadella

Jacobi, 1944

Current Classification: *Tettigella nigrominiatula* (Jacobi, 1944)

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 44

China and Fennah, 1945: Ann. Mag. nat. Hist.: 707-712 [Tettigella]

HOM 2000/3115

Holotype

1 adult

Kwangtseh-Fukien J. Klapperich 27.8.1937 --- Cotypus --- Coll. Jacobi Ankauf 1947 --- Staatl. Museum für Tierkunde, Dresden --- 124g --- Holotypus Cicadella nigrominiatula Jac. n.sp. Mannheims det. 27.8.1937

Kwangtseh (= Hangchuan), Wuyi Shan (mts.), Fujian, China, Asia

Insect Types in the ZFMK Collection, Bonn: "Homoptera"

117°24'00" O 27°30'00" N

HOM 2000/3116,3297-98	Paratypes	3	adult
17.7.1937			
HOM 2000/3117,3299-01	Paratypes	4	adult
27.7.1937			
Kwangtseh (= Hangchuan), Wuyi Shan (mts.), Fujian, China, Asia			
117°24'00" O 27°30'00" N			
HOM 2000/3118	Paratype	1	adult
21.6.1937			
HOM 2000/3119	Paratype	1	adult
7.7.1937			
HOM 2000/3120,3302-04	Paratypes	4	adult
10.7.1937			
HOM 2000/3121	Paratype	1	adult
15.7.1937			
HOM 2000/3122	Paratype	1	adult
18.7.1937			
HOM 2000/3123,3305-06	Paratypes	3	adult
7.8.1937			
Shaowu, Wuyi Shan (mts.), Fujian, China, Asia			
117°30'00" O 27°17'59" N			
HOM 2000/3124	Paratype	1	adult
22.2.1938			
HOM 2000/3125	Paratype	1	adult
2.3.1938			
HOM 2000/3126	Paratype	1	adult
4.3.1938			
HOM 2000/3127	Paratype	1	adult
18.3.1938			
HOM 2000/3128,3307	Paratypes	2	adult
19.3.1938			
HOM 2000/3129	Paratype	1	adult
24.3.1938			
HOM 2000/3130	Paratype	1	adult
29.3.1938			
HOM 2000/3131,3308	Paratypes	2	adult
31.3.1938			
HOM 2000/3132	Paratype	1	adult
6.4.1938			
HOM 2000/3133	Paratype	1	adult
8.4.1938			
HOM 2000/3134	Paratype	1	adult
10.4.1938			
HOM 2000/3135	Paratype	1	adult
18.4.1938			
HOM 2000/3136	Paratype	1	adult
28.5.1938			
Kuatun, Wuyi Shan (mts.), Fujian, China, Asia			
117°40'00" O 27°40'00" N			

notatissima, Purana

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 7

HOM 2000/852	Holotype	1	adult	male
Typus --- Shaowu - Fukien (500 m) J. Klapperich	9.7.1937	---	Purana notatissima	- Holotypus Jacobi --- det.
Straßberger --- Holotypus				
9.7.1937				
Shaowu, Wuyi Shan (mts.), Fujian, China, Asia				

Insect Types in the ZFMK Collection, Bonn: "Homoptera"

117°30'00" O 27°17'59" N

nuristana, Aconurella

Dlabola, 1957

Dlabola, 1957: Mitt. münchen. ent. Ges. 47: 281

HOM 2000/2019 **Holotype** 1 adult male

J. Klapperich Achmede Dewane 2800 m, Bashgultal, Nuristan, 27.7.52, O-Afghanistan --- Aconurella devana n.sp.

Typus-det. Dlabola 1956

27.7.1952

Achmede Dewane (= Akhmed-e Dew), Konar, Afghanistan, Asia

71°19'00" O 35°55'00" N

nuristanus, Aphrodes

Dlabola, 1957

Dlabola, 1957: Mitt. münchen. ent. Ges. 47: 291

HOM 2000/2120 **Holotype** 1 adult male

J. Klapperich Bashgultal 1200 m Nuristan 20.4.53 Afghanistan --- Aphrodes nuristanus n.sp. Typus --- det.

Dlabola 1956

20.4.1953

Bashgul-Tal (= Landay Sind (river)), Konar, Afghanistan, Asia

HOM 2000/2121 **Paratype** 1 adult male

30.4.1953

Bashgul-Tal (= Landay Sind (river)), Konar, Afghanistan, Asia

obscurus, Olontheus

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 17

HOM 2000/406 **Holotype** 1 adult male

Kuatun (2300 m) 27,40 n. Br. 117,40 ö. L. J. Klapperich 25.6.1938 (Fukien) --- Typus --- Coll. Jacobi Ankauf

1947 --- Staatl. Museum für Tierkunde, Dresden --- 43 --- Olontheus obscurus Jacobi Holotypus --- Mannheims

det. 1965 --- Holotypus

25.6.1938

Kuatun, Wuyi Shan (mts.), Fujian, China, Asia

117°40'00" O 27°40'00" N

ochraceus, lassus

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 50

HOM 2000/2563 **Holotype** 1 adult female

Kwangtseh-Fukien J.Klapperich O 17.7.1937 --- Typus --- Coll. Jacobi Ankauf 1947 --- Staatl. Museum für Tierkunde, Dresden --- 135 --- lassus ochraceus Jacobi Holotypus Mannheims det. 1965 --- Holotypus

17.7.1937

Kwangtseh (= Hangchuan), Wuyi Shan (mts.), Fujian, China, Asia

117°24'00" O 27°30'00" N

HOM 2000/2564 **Paratype** 1 adult female

18.7.1937

HOM 2000/2565 **Paratype** 1 adult female

7.8.1937

Shaowu, Wuyi Shan (mts.), Fujian, China, Asia

117°30'00" O 27°17'59" N

orientalis, Euscelidius

Dlabola, 1957

Insect Types in the ZFMK Collection, Bonn: "Homoptera"

Current Classification: Synonym of ***Euscelidius mundus* (Haupt, 1927)**

Dlabola, 1957: Mitt. münchen. ent. Ges. 47: 283

Nast, 1972: Palaearctic Auchenorrhyncha (Homoptera): 398 [syn. of *Euscelidius mundus*]

HOM 2000/2442 **Paratype** 1 adult female
J. Klapperich Umgeb. v. Kabul 1740 m, 24.6.52 O-Afghanistan --- *Euscelidius orientalis* n.sp. Paratypus --
det. Dlabola 1956
24.6.1952
Kabul (= Kabol), Kabul, Afghanistan, Asia
69°11'00" O 34°30'59" N

pallidior, Betacixius

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 15

HOM 2000/27 **Holotype** 1 adult
Shaowu - Fukien (500m) J. Klapperich 2.7.1937 --- Typus --- Coll. Jacobi Ankauf 1947 --- Staatl. Museum für
Tierkunde, Dresden --- 36b --- *Betacixius pallidior* Jacobi Holotypus - Mannheims det. 1965 --- Holotypus
2.7.1937
Shaowu, Wuyi Shan (mts.), Fujian, China, Asia
117°30'00" O 27°17'59" N

HOM 2000/28 **Paratype** 1 adult
4.7.1937
HOM 2000/29 **Paratype** 1 adult
18.7.1937
Shaowu, Wuyi Shan (mts.), Fujian, China, Asia
117°30'00" O 27°17'59" N

pallidipes, Cicadella

Jacobi, 1944

Current Classification: ***Tettigella pallidipes* (Jacobi, 1944)**

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 43

China and Fennah, 1945: Ann. Mag. nat. Hist.: 707-712 [Tettigella]

HOM 2000/3137 **Holotype** 1 adult
Kuatun (2300 m) 27,40 n. Br. 117,40 ö. L. J. Klapperich 31.3.1938 (Fukien) --- Typus --- Coll. Jacobi Ankauf
1947 --- Staatl. Museum für Tierkunde, Dresden --- 124i --- *Cicadella pallidipes* Jacobi Holotypus --- Straßberger
det. --- Holotypus
31.3.1938
Kuatun, Wuyi Shan (mts.), Fujian, China, Asia
117°40'00" O 27°40'00" N

patricius, lassus

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 49

HOM 2000/2566 **Holotype** 1 adult female
Kwangtseh-Fukien J. Klapperich O 27.7.1937 --- Typus --- Coll. Jacobi Ankauf 1947 --- Staatl. Museum für
Tierkunde, Dresden --- 134 --- *lassus patricius* Jacobi Holotypus - Mannheims det. 1965 --- Holotypus
27.7.1937
Kwangtseh (= Hangchuan), Wuyi Shan (mts.), Fujian, China, Asia
117°24'00" O 27°30'00" N

perpunctata, Loxocephala

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 11

HOM 2000/646 **Holotype** 1 adult
A-tun tae (Nord Yunnan) Mittlere Höhe (ca. 4000m) 28.7.1936 H. Höne --- Typus --- 28 --- *Loxocephala perpunctata*
Jacobi Mannheims det. 1965 --- Holotypus
28.7.1936

Insect Types in the ZFMK Collection, Bonn: "Homoptera"

A-Tun-Tse, Yunnan, China, Asia
 98°48'00" O 28°28'00" N

HOM 2000/647	Paratype	1	adult
3.8.1936			
HOM 2000/648	Paratype	1	adult
4.9.1936			
A-Tun-Tse, Yunnan, China, Asia			
98°48'00" O	28°28'00" N		
HOM 2000/649	Paratype	1	adult
2.9.1936			
HOM 2000/650	Paratype	1	adult
17.9.1936			
Batang, Sichuan, China, Asia			
99°00'00" O	30°00'00" N		

persicum, Hysteropterum

Dlabola, 1981

Dlabola, 1981: Acta ent. Mus. Natn. Pragae 40: 181

HOM 2000/488	Paratype	1	adult
Iran, Golhak 1700 m bei Teheran	9.-23.VI.1961	leg. J. Klapperich	--- Paratypus --- <i>Hysteropterum persicum</i> sp. n.
det. Dlabola 1974			
9.-23.6.1961			
Golhak, b. Teheran, Tehran, Iran, Asia			
51°26'00" O	35°40'00" N		

proximoriens, Idiocerus

Dlabola, 1965

Dlabola, 1965: Acta ent. Mus. Natn. Pragae 36: 446

HOM 2000/2595	Paratype	1	adult
O. Jordan. J. Klapperich	---	Wald b. Jerash	600 m, 7.6.1959
det. Dlabola 1963			---
7.6.1959			<i>Idiocerus proximoriens</i> n.sp. Paratypus det.
Jerash, Irbid, Jordan, Asia			
35°53'43" O	32°16'50" N		

quadrinotatissima, Empoasca

Dlabola, 1957

Dlabola, 1957: Mitt. münchen. ent. Ges. 47: 296

HOM 2000/2372	Holotype	1	adult	female
J. Klapperich	Tangi-Gharuh, 1600 m	am Kabulfluß,	21.8.53	O-Afghanistan
det. Dlabola 56				---
21.8.1953				<i>Empoasca quadrinotatissima</i> Typus -
Tangi-Gharu (canyon), Kabol, Afghanistan, Asia				
HOM 2000/2373	Paratype	1	adult	female
21.8.1952				
Tangi-Gharu (canyon), Kabol, Afghanistan, Asia				

ramallahicus, Idiocerus

Dlabola, 1965

Dlabola, 1965: Acta ent. Mus. Natn. Pragae 36: 448

HOM 2000/2596,3309	Paratypes	2	adult
W. Jordan. J. Klapperich	---	Turmosayya b. Ramallah	---
Paratypus det. Dlabola		---	600 m 4.6.1958
4.6.1958			---
Turosayya, West-Bank, Jordan, Asia			<i>Idiocerus ramallahicus</i> n.sp. 1963
35°12'00" O	31°54'00" N		
HOM 2000/2597	Paratype	1	adult

Insect Types in the ZFMK Collection, Bonn: "Homoptera"

15.6.1956

Wadi es Sir, 'Amman, Jordan, Asia

35°48'59" O 31°57'00" N

robusta, Hindola

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 24

HOM 2000/1124 **Holotype** 1 adult female

Kuatun (2300 m) 27,40 n. Br. 117,40 ö. L. J. Klapperich 21.6.1938 (Fukien) --- Typus --- Coll. Jacobi Ankauf

1947 --- Staatl. Museum für Tierkunde, Dresden --- 71 --- Hindola robusta Jacobi Holotypus --- Mannheims det.

1965 --- Holotypus

21.6.1938

Kuatun, Wuyi Shan (mts.), Fujian, China, Asia

117°40'00" O 27°40'00" N

robustus, Betacixius

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 15

HOM 2000/30 **Holotype** 1 adult

Kuatun (2300m) 27,40 n. Br. 117,40 ö. L. J. Klapperich 11.5.1938 (Fukien) --- Typus --- Coll. Jacobi Ankauf

1947 --- Staatl. Museum für Tierkunde, Dresden --- 36c --- Betacixius robustus Jacobi Holotypus Mannheims det. 1965 --- Holotypus

11.5.1938

Kuatun, Wuyi Shan (mts.), Fujian, China, Asia

117°40'00" O 27°40'00" N

HOM 2000/31 **Paratype** 1 adult

31.5.1938

Kuatun, Wuyi Shan (mts.), Fujian, China, Asia

117°40'00" O 27°40'00" N

HOM 2000/32 **Paratype** 1 adult

2.6.1938

Kuatun, Wuyi Shan (mts.), Fujian, China, Asia

117°40'00" O 27°40'00" N

rossi, Baeturia

A. J. De Boer, 1994

De Boer, 1994: Beaufortia 44(5): 154

HOM 2000/1029,3310 **Paratypes** 2 adult

Nd. N. Guinee Sarmeh J.B. Ledru 1901 --- 9/57, ex coll. R. Oberthür --- Paratype Baeturia rossi Det. A. J. de Boer 1994 --- Bonn

1901

Sarmeh, New Guinea, Pacific Ocean

38°45'00" O 00°09'00" N

rubroocellatus, Zercanus

Dlabola, 1965

Dlabola, 1965: Acta ent. Mus. Natn. Pragae 36: 440

HOM 2000/3192 **Paratype** 1 adult female

O. Jordan. J. Klapperich --- Zerka, S. Amm. 500 m, 3.7.56 --- Zercanus n.g. roseoocellatus n.sp. --- Paratypus det. Dlabola 1962

3.7.1956

Zerka (= Az Zarqa'), Az Zarqa', Jordan, Asia

36°05'59" O 32°04'59" N

sarekandinus, Handianus

Dlabola, 1959

Insect Types in the ZFMK Collection, Bonn: "Homoptera"

Dlabola, 1959: Acta ent. Mus. Natn. Pragae 33: 449

HOM 2000/2527	Holotype	1	adult	male
J. Klapperich	Sarekanda, 3500 m Gebirge, Badakschan, 26.7.53	NO-Afghanistan --- Handianus sarekandinus		
det. Dlabola 1958	Typus			
26.7.1953	Sarekanda, Sarekanda (mts.), Badakhshan, Afghanistan, Asia			

schivaicus, Stenometopiellus

Dlabola, 1957

Current Classification: Synonym of *Stenometopiellus sigillatus* Haupt, 1917

Dlabola, 1957: Mitt. münchen. ent. Ges. 47: 285

Nast, 1972: Palaearctic Auchenorrhyncha (Homoptera): 376 [syn. of *Stenometopiellus sigillatus*]

HOM 2000/3075	Holotype	1	adult	male
J. Klapperich	Schiva, Hochsteppe 2800 m, 7.7.53	Badakschan	NO-Afghanistan --- Typus --- <i>Stenometopiellus schivaicus</i> n.sp.	<i>Stenometopiellus schivaicus</i>
			Typus-det. Dlabola 1956	
7.7.1953	Schiva, Badakhshan, Afghanistan, Asia			
71°13'00" O	37°43'00" N			

sinensis, Dussana

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 51

HOM 2000/2343	Holotype	1	adult
Kwangtseh-Fukien --- J. Klapperich	O --- 27.7.1937 --- 139 --- Coll. Jacobi Ankauf 1947 --- Staatl. Museum für Tierkunde Dresden --- Typus --- <i>Dussana sinensis</i> Jacobi Holotypus - Mannheims det. 1965 --- Holotypus		
27.7.1937	Kwangtseh (= Hangchuan), Wuyi Shan (mts.), Fujian, China, Asia		
117°24'00" O	27°30'00" N		

HOM 2000/2344	Paratype	1	adult
8.6.1938			
HOM 2000/2345	Paratype	1	adult
20.6.1938			
HOM 2000/2346	Paratype	1	adult
23.6.1938			
Kuatun, Wuyi Shan (mts.), Fujian, China, Asia			
117°40'00" O	27°40'00" N		

sinensis, Lycurgus

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 9

HOM 2000/1067	Holotype	1	adult
Kuatun (2300 m) 27.40 n. Br.	117.40 ö. L. J. Klapperich	17.7.1938 (Fukien) --- Typus --- <i>Lycurgus sinensis</i> n. sp.	
Jac. Holotypus	Straßberger det. --- Holotypus		
17.7.1938	Kuatun, Wuyi Shan (mts.), Fujian, China, Asia		
117°40'00" O	27°40'00" N		
HOM 2000/1068	Paratype	1	adult
23.6.1938			
HOM 2000/1069	Paratype	1	adult
29.6.1938			
HOM 2000/1070	Paratype	1	adult
9.7.1938			
HOM 2000/1071	Paratype	1	adult
10.6.1938			
HOM 2000/1072,3311	Paratypes	2	adult
13.7.1938			

Insect Types in the ZFMK Collection, Bonn: "Homoptera"

Kuatun, Wuyi Shan (mts.), Fujian, China, Asia
117°40'00" O 27°40'00" N

HOM 2000/1073 **Paratype** 1 adult
17.7.1937

Kwangtseh (= Hangchuan), Wuyi Shan (mts.), Fujian, China, Asia
117°24'00" O 27°30'00" N

sinica, Agallia

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 47

HOM 2000/2067 **Holotype** 1 adult

Typus --- Shaowu - Fukien (500 m) J. Klapperich 5.6.1937 --- Coll. Jacobi Ankauf 1947 --- Staatl. Museum für Tierkunde, Dresden --- 126 --- Agallia sinica Jac. Holotypus - Mannheims det. 1965 --- Holotypus 5.6.1937

Shaowu, Wuyi Shan (mts.), Fujian, China, Asia
117°30'00" O 27°17'59" N

HOM 2000/2068 **Paratype** 1 adult

9.6.1937
Shaowu, Wuyi Shan (mts.), Fujian, China, Asia
117°30'00" O 27°17'59" N

sinica, Mnemosyne

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 12

HOM 2000/77 **Paralectotype** 1 adult

Typus --- Shaowu - Fukien (500m) J. Klapperich 11.5.1937 --- Coll. Jacobi Ankauf 1947 --- Staatl. Museum für Tierkunde, Dresden --- 34 --- Mnemosyne sinica Jac. Holotypus - Mannheims det. 1965 --- Holotypus --- Paralectotype Mnemosyne sinica Jacobi designe par van Stall 1986

11.5.1937
Shaowu, Wuyi Shan (mts.), Fujian, China, Asia
117°30'00" O 27°17'59" N

HOM 2000/78 **Paralectotype** 1 adult

2.6.1937
Shaowu, Wuyi Shan (mts.), Fujian, China, Asia
117°30'00" O 27°17'59" N

sirvadi, Selenocephalus

Dlabola, 1965

Dlabola, 1965: Acta ent. Mus. Natn. Pragae 36: 443

HOM 2000/3054 **Allotype** 1 adult female

Jordan. 11.4.1958 J. Klapperich --- Jordantal 100 m O. Totes Meer --- Selenocephalus sirvadi n. sp. Typus det. Dlabola 1962.

11.4.1958
Jordan-Tal, Irbid, Jordan, Asia

HOM 2000/3055 **Paratype** 1 adult

14.6.1956
Tulkarem (=Tulkarm), West-Bank, Jordan, Asia
35°01'32" O 32°18'38"N

HOM 2000/3056 **Paratype** 1 adult

6.6.1958
Amman, 'Amman, Jordan, Asia
35°56'00" O 31°57'00" N

sparsuta, Hindoloides

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 24

Insect Types in the ZFMK Collection, Bonn: "Homoptera"

HOM 2000/1169 **Holotype** 1 adult female
Shaowu - Fukien (500 m) J. Klapperich 12.5.1937 --- Typus --- Coll. Jacobi Ankauf 1947 --- Staatl. Museum für Tierkunde, Dresden --- 72 --- Hindoloides sparsuta Jac. Holotypus - Mannheims det. 1965
12.5.1937
Shaowu, Wuyi Shan (mts.), Fujian, China, Asia
117°30'00" O 27°17'59" N

sternalis, Ledra

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 36

HOM 2000/2734 **Holotype** 1 adult male
Kwangtseh-Fukien J. Klapperich 24.9.1937 --- Typus --- Coll. Jacobi Ankauf 1947 --- Staatl. Museum für Tierkunde Dresden --- 113 --- Ledra sternalis Jacobi Holotypus - Mannheims det. 1965 --- Holotypus
24.9.1937
Kwangtseh (= Hangchuan), Wuyi Shan (mts.), Fujian, China, Asia
117°24'00" O 27°30'00" N

symmetrica, Thlasia

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 40

HOM 2000/3149 **Holotype** 1 adult female
Kwangtseh - Fukien J. Klapperich 3.9.1937 --- Typus --- Coll. Jacobi Ankauf 1947 --- Staatl. Museum für Tierkunde Dresden --- 117 --- Thlasia symmetrica Jac. Holotypus - Mannheims det. 1965 --- Holotypus
3.9.1937
Kwangtseh (= Hangchuan), Wuyi Shan (mts.), Fujian, China, Asia
117°24'00" O 27°30'00" N

tangigharuha, Dictyophara

Dlabola, 1957

Dlabola, 1957: Mitt. münchen. ent. Ges. 47: 273

HOM 2000/271 **Holotype** 1 adult male
J. Klapperich Tangi-Gharuh, 1600 m am Kabulfluß, 8.7.52 O-Afghanistan --- Dictyophara tangigharuha n. sp.
Typus - det. Dlabola 1956
8.7.1952
Tangi-Gharu (canyon), Kabol, Afghanistan, Asia

tangigharuha, Erythroneura

Dlabola, 1957

Dlabola, 1957: Mitt. münchen. ent. Ges. 47: 295

HOM 2000/2389 **Allotype** 1 adult female
J. Klapperich Tangi-Gharuh, 1600 m am Kabulfluß, 21.8.53 O-Afghanistan --- Erythroneura (sg. Tamaricella) tangi-gharuha n.sp. Typus-det. Dlabola 1956
21.8.1953
Tangi-Gharu (canyon), Kabol, Afghanistan, Asia

HOM 2000/2390 **Paratype** 1 adult
24.6.1953

Duab (= Doab), Badakhshan, Afghanistan, Asia
70°31'00" O 36°49'59" N

HOM 2000/2391,3312-13 **Paratypes** 3 adult
21.8.1953
Tangi-Gharu (canyon), Kabol, Afghanistan, Asia

tetraspila, Bhandara

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 41

Insect Types in the ZFMK Collection, Bonn: "Homoptera"

HOM 2000/2173	Holotype	1	adult
Kuatun (2300 m) 27,40 n. Br.	117,40 ö. L. J. Klapperich	29.6.1938 (Fukien)	(Typus --- Coll. Jacobi Ankauf 1947 --- Staatl. Museum für Tierkunde, Dresden --- 122a --- Bhandara tetraspila Jac. Holotypus Mannheims det. 1965 --- Holotypus 29.6.1938
Kuatun, Wuyi Shan (mts.), Fujian, China, Asia	117°40'00" O	27°40'00" N	
HOM 2000/2174,3314	Paratypes	2	adult
4.3.1938			
HOM 2000/2175	Paratype	1	adult
5.3.1938			
HOM 2000/2176,3315	Paratypes	2	adult
18.3.1938			
HOM 2000/2177	Paratype	1	adult
19.3.1938			
HOM 2000/2178	Paratype	1	adult
20.3.1938			
HOM 2000/2179,3316	Paratypes	2	adult
21.3.1938			
HOM 2000/2180	Paratype	1	adult
22.3.1938			
HOM 2000/2181	Paratype	1	adult
23.3.1938			
HOM 2000/2182,3317	Paratypes	2	adult
24.3.1938			
HOM 2000/2183,3318	Paratypes	2	adult
25.3.1938			
HOM 2000/2184,3319	Paratypes	2	adult
29.3.1938			
HOM 2000/2185,3320	Paratypes	2	adult
30.3.1938			
HOM 2000/2186,3321	Paratypes	2	adult
1.4.1938			
HOM 2000/2187	Paratype	1	adult
3.4.1938			
HOM 2000/2188	Paratype	1	adult
5.4.1938			
HOM 2000/2189	Paratype	1	adult
10.4.1938			
HOM 2000/2190	Paratype	1	adult
14.4.1938			
HOM 2000/2191	Paratype	1	adult
15.4.1938			
HOM 2000/2192	Paratype	1	adult
17.4.1938			
HOM 2000/2193	Paratype	1	adult
18.4.1938			
HOM 2000/2194	Paratype	1	adult
19.4.1938			
HOM 2000/2195,3322	Paratypes	2	adult
21.4.1938			
HOM 2000/2196	Paratype	1	adult
25.4.1938			
HOM 2000/2197,3323-25	Paratypes	4	adult
28.4.1938			
HOM 2000/2198,3326-28	Paratypes	4	adult
29.4.1938			

Insect Types in the ZFMK Collection, Bonn: "Homoptera"

HOM 2000/2199,3329	Paratypes	2	adult
30.4.1938			
HOM 2000/2200	Paratype	1	adult
2.5.1938			
HOM 2000/2201,3330	Paratypes	2	adult
5.5.1938			
HOM 2000/2202	Paratype	1	adult
6.5.1938			
HOM 2000/2203	Paratype	1	adult
7.5.1938			
HOM 2000/2204	Paratype	1	adult
8.5.1938			
HOM 2000/2205	Paratype	1	adult
12.5.1938			
HOM 2000/2206,3331	Paratypes	2	adult
24.5.1938			
HOM 2000/2207	Paratype	1	adult
28.5.1938			
HOM 2000/2208,3332	Paratypes	2	adult
31.5.1938			
HOM 2000/2209	Paratype	1	adult
14.6.1938			
Kuatun, Wuyi Shan (mts.), Fujian, China, Asia			
117°40'00" O	27°40'00" N		

transversus, Betacixius

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 14

HOM 2000/10	Holotype	1	adult
Kuatun (2300m) 27,40 n.Br. 117,40 ö.L.	J. Klapperich 11.5.1938 (Fukien)	---	Typus --- Coll. Jacobi Ankauf 1947
---	Staatl. Museum für Tierkunde, Dresden	---	36a --- Betacixius transversus Jac. n.sp. Mannheims det. ---
Holotypus			
11.5.1938			
Kuatun, Wuyi Shan (mts.), Fujian, China, Asia			
117°40'00" O	27°40'00" N		
HOM 2000/11	Paratype	1	adult
15.4.1938			
HOM 2000/12	Paratype	1	adult
16.4.1938			
HOM 2000/13	Paratype	1	adult
21.4.1938			
HOM 2000/14,15,3333-37	Paratypes	7	adult
25.4.1938			
HOM 2000/16,3338	Paratypes	2	adult
28.4.1938			
HOM 2000/17,3339-40	Paratypes	3	adult
29.4.1938			
HOM 2000/18,3341-44	Paratypes	5	adult
1.5.1938			
HOM 2000/19,3345-48	Paratypes	5	adult
5.5.1938			
HOM 2000/20,3349	Paratypes	2	adult
7.5.1938			
HOM 2000/21,3350-62	Paratypes	14	adult
8.5.1938			
HOM 2000/22,3363-65	Paratypes	4	adult
10.5.1938			
HOM 2000/23,3366-69	Paratypes	5	adult
11.5.1938			

Insect Types in the ZFMK Collection, Bonn: "Homoptera"

HOM 2000/24	Paratype	1	adult
14.5.1938			
HOM 2000/25	Paratype	1	adult
19.5.1938			
HOM 2000/26	Paratype	1	adult
10.6.1938			
HOM 2000/3224	Paratype	1	adult
12.5.1938			
Kuatun, Wuyi Shan (mts.), Fujian, China, Asia			
117°40'00" O	27°40'00" N		

tshakaranus, Hepthatthus

Dlabola, 1957

Dlabola, 1957: Mitt. münchen. ent. Ges. 47: 300

HOM 2000/2543	Holotype	1	adult	female
J. Klapperich	Tschakaran, 1850 m	Warduschtal, 6.7.53	Badakschan NO-Afghanistan --- Heptathus tshakaranus	
n.sp. 1956	Typus-det. Dlabola			
6.7.1953				
Tschakaran (= Tschakaran), Wardusch-Tal, Badakhshan, Afghanistan, Asia				
70°52'00" O	36°58'00" N			

HOM 2000/2544	Paratype	1	adult
6.7.1953			
Tschakaran (= Tschakaran), Wardusch-Tal, Badakhshan, Afghanistan, Asia			
70°52'00" O	36°58'00" N		

vicus, Placidus

Dlabola, 1957

Dlabola, 1957: Mitt. münchen. ent. Ges. 47: 293

HOM 2000/2961	Holotype	1	adult	male
J. Klapperich	Bashgultal 1100 m	Nuristan 14.4.53	Afghanistan --- Placidus vicinus n.sp.	Typus det. Dlabola 1956
14.4.1953				
Bashgul-Tal (= Landay Sind (river)), Konar, Afghanistan, Asia				

HOM 2000/2962	Allotype	1	adult	female
14.4.1953				
HOM 2000/2963	Paratype	1	adult	
6.5.1953				
HOM 2000/2964	Paratype	1	adult	
13.5.1953				
Bashgul-Tal (= Landay Sind (river)), Konar, Afghanistan, Asia				
HOM 2000/2965	Paratype	1	adult	
10.5.1952				
Tangi-Gharu (canyon), Kabol, Afghanistan, Asia				

zigzag, Ricania

Jacobi, 1944

Jacobi, 1944: Mitt. münchen. ent. Ges. 34: 22

HOM 2000/640	Holotype	1	adult
Typus --- Kuatun (2300 m) 27,40 n. Br.	117,40 ö.L. J. Klapperich	23.5.1938 (Fukien)	--- Coll. Jacobi Ankauf
1947 --- Staatl. Museum für Tierkunde, Dresden --- 53 --- Ricania zigzag Jacobi Holotypus	Mannheims	---	det.
1965 --- Holotypus			
23.5.1938			
Kuatun, Wuyi Shan (mts.), Fujian, China, Asia			
117°40'00" O	27°40'00" N		

HOM 2000/641	Paratype	1	adult
13.5.1938			

Insect Types in the ZFMK Collection, Bonn: "Homoptera"

Kuatun, Wuyi Shan (mts.), Fujian, China, Asia
117°40'00" O 27°40'00" N

References

- BROWN, P. AND G.B. STRATTON (1963): World List of Scientific Periodicals Published in the Years 1900 – 1960. London, Butterworths:1-1824.
- DE BOER, A.J. (1994): The taxonomy and biogeography of the exhausta group of the genus *Baeturia* Stål, 1866 (*Homoptera, Tibicinidae*). *Beaufortia* **44**(5):127-158.
- CHINA, W.E. AND R.G. FENNAH (1945): On the genera *Tetigonia* Geoff., *Tettigonia* F., *Tettigoniella* Jac., and *Lassus* Fab. (*Hemiptera – Homoptera*). The annals and magazine of natural history, zoology, botany and geology **12**(11):707-712.
- DLABOLA, J. (1957): Die Zikaden Afghanistans (*Homopt.- Auchenorrhyncha*) nach den Ergebnissen der von Herrn J. Klapperich in den Jahren 1952-1953 nach Afghanistan unternommenen Exkursionen. Mitteilung der Münchener Entomologischen Gesellschaft **47**:265-303.
- DLABOLA, J. (1959): Neue paläarktische Zikaden der Familie *Menoplidae* und der Gattung *Handianus* Rib. (*Homopt. Auchenorrhyncha*). *Acta Entomologica Musei Nationalis Pragae* **33**:445-452.
- DLABOLA, J. (1960): Einige neue Zikaden aus Dagestan und Zentralasien (*Homoptera*). *Stuttgarter Beiträge zur Naturkunde, Serie A (Biologie)* **40**:1-5.
- DLABOLA, J. (1964): Die Zikaden Afghanistans (*Homoptera, Auchenorrhyncha*) II. Teil. Ergebnisse der Sammelreisen von Dr. H. G. Amsel, G. Ebert, Dr. Erichson, J. Klapperich und Dr. K. Lindberg. Mitteilung der Münchener Entomologischen Gesellschaft **54**:237-255.
- DLABOLA, J. (1965): Jordanische Zikaden (*Homoptera Auchenorrhynchyncha*) (Bearbeitung der von J.Klapperich im Jahre 1956-9 in Jordanien, Libanon und Syrien gesammelten Ausbeute). *Acta Entomologica Musei Nationalis Pragae* **36**:419-450.
- DLABOLA, J. (1981) Ergebnisse der tschechoslowakisch-iranischen entomologischen Expedition nach dem Iran (1970 und 1973) (Mit Angaben über einige Sammelresultate in Anatolien) *Homoptera: Auchenorrhyncha* (II.Teil). *Acta Entomologica Musei Nationalis Pragae* **40** 1981:127-311.
- JACOBI, A. (1944): Die Zikadenfauna der Provinz Fukien in Südchina und ihre tiergeographische Beziehungen. Mitteilung der Münchener Entomologischen Gesellschaft **34**:5-66.
- NAST, J. (1972): Palaeartic *Auchenorrhyncha* (*Homoptera*). Polish Academy of Sciences Institute of Zoology Warszawa, 1-550.